ASHCROFT

Diaphragm Seal In-Line Process Connection Type 104, 204 Threaded Type 106, 206 Flanged

The comprehensive line of Ashcroft Seals will meet a variety of applications and installation requirements. It also includes the In-line threaded and In-line flanged process connections. These connections are recommended for applications where continuous flow will prevent clogging and buildup of process media. Fill port is standard in all designs in-line threaded rated for pressures rated up to 2500 psi, unless noted otherwise.

Features:

• A thin Teflon PTFE gasket between the diaphragm and the bottom housing ensures a leak-tight, corrosion resistant seal.

Types 104/106 are top housing and diaphragm capsule designs. The diaphragm capsule is threaded to the top housing. The diaphragm and top housing are then clamped to the bottom housing.Viton O-ring, compatible with all fill fluid and Teflon backup ring provide a seal between the diaphragm capsule and the top housing.

155

Types 204/206 are welded or bonded designs. Metallic diaphragms are welded to the top housing. Elastomeric diaphragms are bonded to the top housing. The diaphragm and top housings are then clamped to the bottom housing.



SELECTION TABLES*

Table 1 – Process Connection/Type Number

		Process Conn. Size Code – Inches								Туре	Number		
	Size	1/4	1/2	3/4	1	1 ¹ / ₂	2	3	4	6	8		Welded
Process Connection	Code	25	50	75	10	15	20	30	40	60	80	Capsule	& Bonde
In-line – threaded NPT		•	•									104	204
In-line – flanged			•	•	•	•	•	•	•	•	•	106	206

Table 2

Nickel

Table 2 – Diaphragm Material								
Material	Temp. Limits	Code	104/ 106	204/ 206				
316L SS		S	•	•				
304 SS		С	•	•				
Monel 400		Р	•	(2)				
Nickel		Ν	٠	•				
Carpenter 20		D	٠	•				
Tantalum		U	•	•				
Hastelloy B		G	٠	•				
Hastelloy C 22		J	٠	•				
Hastelloy C 276		Н	•	•				
Titanium		TI	٠	•				
Teflon	-40/400°F	Т		•				
Viton ⁽¹⁾	-40/350°F	Y		•				
Kalrez ⁽¹⁾	30/212°F	K		•				
Halar Coated Monel	-40/300°F	F	•					

Bottom Housing Material							
Material	Code	104/ 106	204/ 106				
Steel	В	•	•				
304 SS	С	•	•				
316L SS	S	•	•				
Hastelloy B	G	•	•				
Hastelloy C 22	J	•	•				
Hastelloy C 276	H	•	•				
Carpenter 20	D	•	•				
Monel 400	Μ	•	•				
Inconel 600	W	•					

Table 4 – Instrume	nt Conr	nection
Connection	Size	Code

Threaded – female NPT	1/4 NPT	02T
Threaded – female NPT	1/2 NPT	04T

Table 5 – Filling Fluid

•				
Filling	Service	Connection to Instrument	Temperature Limits Range °F	Code
Glycerin	Pressure	Direct Only	0/400	CG
Silicone	Pressure/Vacuum	Direct or Remote Line	-40/600	CK
Halocarbon	Pressure/Vacuum in presence of strong oxidizing agent	Direct or Remote Line	-80/392	CF
Syltherm	Pressure/Vacuum	Direct or Remote Line	-40/750	HA
Food Grade Silicone	Pressure/Vacuum	Direct or Remote Line	-40/500	CZ
Distilled Water	Pressure/Vacuum	Direct or Remote Line	40/185	FJ
Ethylene Glycol & Water	Pressure/Vacuum	Direct or Remote Line	20/-325	CT
Propylene Glycol	Pressure/Vacuum	Direct or Remote Line	20/325	CV
Mineral Oil	Pressure/Vacuum	Direct or Remote Line	10/400	HY
Silicone 10 CST	Pressure/Vacuum	Direct or Remote Line	-40/500	DJ

NOTES Table 6 – Optional Features

See page 168-169 for X variations.

(for Types 106/206 only) Туре Code RF Standard Standard

 Viton and Kalrez diaphragm max. pressure 500 psi.
Type 202, 203 monel diaphragm *must* be ordered w/monel top housing (XYM).

*See Table A on page 170-171 for instrument compatibility.

Baised Face Ring Joint Flat Face RJ RF Standar

TO ORDER 104 & 204 SERIES IN-LINE THREADED PROCESS CONNECTION:

- 50-104-S S 04T X CG -
- 1. Process Connection_
- Type Number-
- 2. Diaphragm Material.
- 3. Bottom Housing Material.
- 4. Instrument Connection.
- 5. Fill Fluid (when attached to instrument)
- 6. Optional Features (see page 168-169)

10-106-SS-04T XCG--150 RF 1. Process Connection. Type Number-2. Diaphragm Material

TO ORDER 106 & 206 SERIES IN-LINE FLANGED PROCESS CONNECTION:

- 3. Bottom Housing Material,
- 4. Instrument Connection
- 5. Fill Fluid (when attached to instrument)
- 6. Optional Features (see page 168-169)
- 7. Flange Class (150 only)_
- 8. Flange Type

Consult factory for guidance in product selection Phone (203) 378-8281 or visit our web site at www.ashcroft.com

Table 8 – Flange Type

ASHCROFT

The comprehensive line of Ashcroft Seals will meet a variety of applications and installation requirements. This includes the In-line threaded, In-line Socket Weld, In-line Butt Weld and In-line Saddle Seal. These connections are recommended to prevent clogging and buildup of process media. Rated for pressures up to 2500 psi, unless noted otherwise.

Features:

- A thin Teflon PTFE gasket between the diaphragm and the bottom housing ensures a leak-tight, corrosion resistant seal.
- Top Housing and pressure instruments are removable.

Types 105, 107 & 108. The

156

diaphragm capsule is threaded to the top housing. The diaphragm and top housing are then clamped to the bottom housing. Viton O-ring, compatible with all fill fluid and Teflon backup ring provide a seal between the diaphragm capsule and the top housing.

Types 205, 207 & 208 are welded or bonded designs. Metallic diaphragms are welded to the top housing. Elastomeric diaphragms are bonded to the top housing. The diaphragm and top housings are then clamped to the bottom housing.

Diaphragm Seal Types 105 & 205 Saddle Types 107 & 207 Socket Weld Types 108 & 208 Butt Weld



SELECTION TABLES*

Table 1 – Process Connection/Type Number

	Process Conn. Size Code – Inches							Type Number					
	Size	1/4	1/2	3/4	1	1 ¹ / ₂	2	3	4	6	8		Welded
Process Connection	Code	25	50	75	10	15	20	30	40	60	80	Capsule	& Bonded
Saddle								•	AN) LAR	GER	105	205
In-line – Butt Weld			•	•	•	•	•					108	208
In-line - Socket Weld		•	•	•	•	•	•					107	207

Table 2 – Diaphragm Material							
Material	Temp. Limits	Code	105/ 107/ 108	205/ 207/ 208			
316L SS		S	•	•			
304 SS		С	•	•			
Monel 400		Р	•	(2)			
Nickel		Ν	•	•			
Carpenter 20		D	•	•			
Tantalum		U	•	•			
Hastelloy B		G	•	•			
Hastelloy C 22		J	•	•			
Hastelloy C 276		Н	•	•			
Titanium		TI	•	•			
Teflon	-40/400°F	Т		•			
Viton ⁽¹⁾	-40/350°F	Y		•			
Kalrez ⁽¹⁾	30/212°F	K		•			
Halar Coated Monel	–40/300°F	R	•				

Table 3 – Bottom Housing Material

Table 5 – Filling Fluid

Filling	Service	Connection to Instrument	Temperature Limits Range °F	Code
Glycerin	Pressure	Direct Only	0/400	CG
Silicone	Pressure/Vacuum	Direct or Remote Line	-40/600	CK
Halocarbon	Pressure/Vacuum in presence of strong oxidizing agent	Direct or Remote Line	-80/392	CF
Syltherm	Pressure/Vacuum	Direct or Remote Line	-40/750	HA
Food Grade Silicone	Pressure/Vacuum	Direct or Remote Line	-40/500	CZ
Distilled Water	Pressure/Vacuum	Direct or Remote Line	40/185	FJ
Ethylene Glycol & Water	Pressure/Vacuum	Direct or Remote Line	20/-325	CT
Propylene Glycol	Pressure/Vacuum	Direct or Remote Line	20/325	CV
Mineral Oil	Pressure/Vacuum	Direct or Remote Line	10/400	ΗY
Silicone 10 CST	Pressure/Vacuum	Direct or Remote Line	-40/500	DJ

NOTES

(1) Viton and Kalrez diaphragm max. pressure 500 psi.(2) Type 205, 208 and 207 monel diaphragm must be

ordered w/monel top housing (XYM).

*See Table A on page 170-171 for instrument compatibility.





Consult factory for guidance in product selection Phone (203) 378-8281 or visit our web site at www.ashcroft.com