

## PD540 Nova Series Digital PID Controllers

### SPECIFICATIONS

<b>Input</b>	Universal process & temperature
<b>Display</b>	Dual, 4-digit
<b>Enclosure</b>	1/16, 3/16, 1/8, and 1/4 DIN
<b>Power</b>	100-240 VAC
<b>Operating Temp</b>	10 to 50°C



### FEATURES

- Auto-tuning PID
- Easy & quick set point changes
- Relay & analog outputs standard
- High accuracy
- IP55 & IP65 fronts
- Free operating & data logging software

### OPTIONS

- Digital inputs
- Heating and cooling
- RS-485 serial communications

**NOVA** CE C  US



**NOVA Virtual Meter**  
[novavirtualmeter.com](http://novavirtualmeter.com)

## PD550 Nova Series Ramp & Soak Controllers

### SPECIFICATIONS

<b>Input</b>	Universal process & temperature
<b>Display</b>	Dual, 4-digit
<b>Enclosure</b>	1/16, 3/16, 1/8, and 1/4 DIN
<b>Power</b>	100-240 VAC
<b>Operating Temp</b>	10 to 50°C



### FEATURES

- Two 15-segment ramp & soak programs
- Relay & analog outputs standard
- High accuracy
- IP55 & IP65 fronts
- Free operating & data logging software

### OPTIONS

- Digital inputs or digital outputs
- RS-485 serial communications

**NOVA** CE C  US

## PD560 Nova Series Digital Meters

### SPECIFICATIONS

<b>Input</b>	Universal process & temperature
<b>Display</b>	Dual, 4-digit
<b>Enclosure</b>	1/8 and 1/4 DIN
<b>Power</b>	100-240 VAC
<b>Operating Temp</b>	10 to 50°C



### FEATURES

- Relay & analog outputs standard
- High accuracy
- IP55 & IP65 fronts
- Free operating & data logging software

### OPTIONS

- Digital inputs
- RS-485 serial communications

**NOVA** CE cRU<sup>®</sup>US

## PD570 Nova Series Limit Controllers

### SPECIFICATIONS

<b>Input</b>	Universal process & temperature
<b>Display</b>	Dual, 4-digit
<b>Enclosure</b>	1/16 and 1/4 DIN
<b>Power</b>	100-240 VAC
<b>Operating Temp</b>	10 to 50°C



### FEATURES

- Latching limit relay
- Relay & analog outputs standard
- High accuracy
- IP55 & IP65 fronts
- Free operating & data logging software

### OPTIONS

- RS-485 serial communications

**NOVA** CE cRU<sup>®</sup>US

## PDA2300 Economical Plastic NEMA 4X Enclosures



### SPECIFICATIONS

**Material** Thermoplastic polyester  
**Color** Gray  
**Ratings** NEMA 4X, UL, C-UL

### FEATURES

- House up to 10 meters
- Horizontal or vertical cutouts
- Hinged door

## PDA2500 Rugged Plastic NEMA 4X Enclosures



### SPECIFICATIONS

**Material** Thermoplastic polyester  
**Color** Gray  
**Ratings** NEMA 4X, UL, C-UL

### FEATURES

- House up to 10 meters
- Horizontal or vertical cutouts
- NEMA 1, 3, 3S, 4, 4X, and 12
- Hinged door

## PDA2600 Stainless Steel NEMA 4X Enclosures



### SPECIFICATIONS

**Material** PDA2601: 16-gauge, type 304 SS. PDA2602-2606: 14-gauge, type 304 SS  
**Color** Stainless steel  
**Ratings** UL 50 type 4; NEMA 4; CSA type 4; IP66

### FEATURES

- House up to 6 meters
- Horizontal or vertical cutouts
- 16-gauge, type 304 stainless steel
- 14-gauge, type 304 stainless steel
- NEMA 4, 4X, 12, and 13
- Hinged door

## PDA2700 Steel NEMA 4 Enclosures



### SPECIFICATIONS

**Material** PDA2701: 16-gauge steel. PDA2702-2706: 14-gauge steel  
**Color** Painted steel  
**Ratings** UL 50 type 4; NEMA 4; CSA type 4; IP66

### FEATURES

- House up to 6 meters
- Horizontal or vertical cutouts
- 16-gauge, Type 304 steel
- 14-gauge, Type 304 steel
- NEMA 4, 12, and 13
- Hinged door



**Need help selecting an enclosure? Go to [www.predig.com/esu](http://www.predig.com/esu)**  
 The Enclosure Selection Utility finds the right enclosure for your meters and application.